RESEARCH STUDY TO TEST THE EFFECTIVENESS OF BIOPRO-CELLPHONE CHIPS ON THE STRESS RESPONSE TRIGGERED BY ELECTROMAGNETIC EMISSIONS FROM CELL-PHONES

Study Location

Auckland, New Zealand October 8, 9 2005

Medical Researcher

Dr. D. Taylor

Testing Equipment

Biomeridian MSAS Professional (FDA Registered, ISO Certified)

STUDY PURPOSE

To test the weakening and /or compensation of electromagnetic cell phone radiation (EMFs) on 7 key body (energy) systems when using the BIOPRO Cell Chip with the available series of measurements and testing devices.

1. INTRODUCTION

T The suspicion that the influence of electromagnetic waves and fields emitted by televisions, radios, microwaves ovens, computers, cell phones, etc. have a negative, lasting impact on the human health system, has become – with an increasing number of worldwide studies – a virtual certainty. Many so called modern illnesses of today's civilization (in particular allergies) seem to be released and/or exaggerated by these electromagnetic influences.

According to the ARNDT-SCHULTZ-RULE, it is the weak and small doses that have particularly strong influences in their effect on biological systems, releasing clearly measurable reactions. After an accumulation of negative influences in the course of months or years, pre-pathological and ultimately pathological reactions can be observed and changes may occur in the human organism.

The rule applied to determine in tests,

- a) Whether and which causal influences have a changing effect on humans when exposed to the range of EMF-radiating technologies, and
- b) Which substantiating testing methods can be used when evaluating human energy systems, and are they suitable to show the qualitative and quantitative effects of such environmental influences (i.e. EMFs).

Many functional or energy screening devices, such as the BioMeridian MSAS Professional testing device used in this study are assessed on the research of Dr. Reinhold Voll. Dr. Voll established that there is a network of energy channels, called meridians, flowing through the body. Meridian points, some of which correlate to acupuncture points, can be used to collect energetic data. Dr. Voll demonstrated that the body's vital body systems are associated with different energy meridians. Imbalances in various vital body systems are believed to manifest themselves as energetic disturbances in the associated meridians. These energetic meridians are also highly responsive to external stressors, almost immediately, as illustrated by the testing equipment used in this study.

As sufficiently sensitive and reactive measuring points, 7 acupuncture systems with its meridians and points were chosen.

The points chosen were:

- Lymphatic system
- Lung
- Large Intestine
- Nervous System

- Circulation
- Allergy Response
- Cellular Metabolism

These points represent the condition of the entire human energy system and, within seconds, reflect physical reactions to the biophysical attractions (assuming these affect the body in a noticeable manner). Also, the body's compensatory reactions through homeostasis can immediately be measured and evaluated through these points.

2. MATERIAL AND METHODS

The Biomeridian MSAS Professional (an FDA registered and ISO certified device) which measures stress in over 60 different parts of the human body was used as the screening device. It is currently used by over 2,000 health practitioners in the U.S., Europe, Canada and many other parts of the world. This system is an important indicator of resistance to stress in essential bio-systems throughout the body.

In each of the 7 key body areas the test-subjects were measured on a data output scale of 0-100. The ideal target zone falls within the 45-55 score range. Practitioners say that any measurement above 55 is stressful as it indicates excess energy, or an inflamed condition in that part of the human biofield. Any measurement below 45 is also stressful because lower numbers represent impaired, weakened, or blocked energy systems. The closer an individual's measurements are to 50, the closer he/she is to actually being in his/her ideal performance zone. The individual screenings show the Meridian changes that took place in relation with exposure to the product being screened. A Samsung SPH-A620 Dual-band Tri-Mode cell phone was used for testing. The phone equipped with the BIOPRO Cell Chip had one chip attached to the back, approximately 1 inch below the antenna.

The following groups of 17 individuals were involved in the test 11 Women 6 Men

The measurement schedule was developed as follows:

Measurement 1 (M1): Standard measurement. Base line (no cell phone used)

Measurement 2 (M2): Active call without BIOPRO Chip applied. Measurement 3 (M3): Active call with BIOPRO Chip applied.

The average test measurements took approximately 5 to 7 minutes so as to negate the element of time compensation.

3. INDIVIDUAL TEST RESULTS

Test Details:

Initials of Test Subject: V.V.

Date Tested: October 7, 2005
Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

V.V.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	45	40	36	35	26	34	37
Phone no Chip	25	34	36	27	26	40	34
Phone with BIOPRO Chip	54	46	46	46	48	45	49

Test Findings:

1. Baseline (No Phone):

When tested without a cell phone (baseline state), 1 of 7 (14%) of this individual's key body areas measured within the ideal performance zone.

2. Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, 7 of 7 key body areas (100%) were in a weakened or stressed state.

3. Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, all of them (100%) of them now measuring within the ideal performance zone.

Initials of Test Subject: B.W.

Date Tested: October 7, 2005

Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

B.W.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	22	14	12	16	17	26	25
Phone no Chip	15	12	6	10	9	21	17
Phone with BIOPRO Chip	45	45	46	44	45	49	50

Test Findings:

1) Baseline (No Phone):

When tested without a cell phone (baseline state), 0 of 7 (0%) of this individual's key body areas measured within the ideal performance zone.

2) Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, 7 of 7 key body areas (100%) were in a weakened or stressed state.

3) Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, with 6 of 7 (86%) of them now measuring within the ideal performance zone. The 7th key area also showed a less weakened state when compared to both the original baseline value and the "phone call without chip" measurement.

Initials of Test Subject: B.K.

Date Tested: October 7, 2005

Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

B.K.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	24	36	27	25	35	63	37
Phone no Chip	59	67	57	60	59	63	62
Phone with BIOPRO Chip	47	52	45	49	50	50	49

Test Findings:

1. Baseline (No Phone):

When tested without a cell phone (baseline state), 0 of 7 (0%) of this individual's key body areas measured within the ideal performance zone.

2. Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, 7 of 7 key body areas (100%) were in a weakened state.

3. Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, all 7 of them (100%) now measuring within the ideal performance zone.

Initials of Test Subject: S.F.

Date Tested: October 7, 2005

Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

S.F.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	35	37	40	37	40	39	45
Phone no Chip	18	18	39	38	28	61	48
Phone with BIOPRO Chip	52	49	49	51	53	50	52

Test Findings:

1. Baseline (No Phone):

When tested without a cell phone (baseline state), 1 of 7 (14%) of this individual's key body areas measured within the ideal performance zone.

2. Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, 6 of 7 key body areas (86%) were in a weakened or stressed state.

3. Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, all 7 of them (100%) now measuring within the ideal performance zone.

Initials of Test Subject: L.L.

Date Tested: October 7, 2005

Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

L.L.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	36	15	39	27	29	58	37
Phone no Chip	35	20	17	26	17	57	37
Phone with BIOPRO Chip	47	45	48	45	48	54	49

Test Findings:

1. Baseline (No Phone):

When tested without a cell phone (baseline state), 0 of 7 (0%) of this individual's key body areas measured within the ideal performance zone.

2. Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, 7 of 7 key body areas (100%) were in a weakened or stressed state.

3. Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, all 7 of them (100%) now measuring within the ideal performance zone.

Initials of Test Subject: J.G.

Date Tested: October 7, 2005

Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

J.G.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	28	35	21	27	33	63	35
Phone no Chip	28	54	20	13	20	59	18
Phone with BIOPRO Chip	54	50	50	55	52	55	52

Test Findings:

1. Baseline (No Phone):

When tested without a cell phone (baseline state), 0 of 7 (0%) of this individual's key body areas measured within the ideal performance zone.

2. Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, 6 of 7 key body areas (84%) were in a weakened or stressed state.

3. Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, all 7 of them (100%) of them now measuring within the ideal performance zone.

Initials of Test Subject: A.E.

Date Tested: October 7, 2005

Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

A.E.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	44	37	40	40	42	33	38
Phone no Chip	41	26	37	26	28	60	28
Phone with BIOPRO Chip	52	48	50	49	54	52	50

Test Findings:

1. Baseline (No Phone):

When tested without a cell phone (baseline state), 0 of 7 (0%) of this individual's key body areas measured within the ideal performance zone.

2. Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, 7 of 7 key body areas (100%) were in a weakened or stressed state.

3. Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, all 7 of them (100%) of them now measuring within the ideal performance zone.

Initials of Test Subject: V.R.

Date Tested: October 8, 2005

Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

V.R.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	37	_11_	22	16	37	23	21
Phone no Chip	60	17	12	14	25	16	26
Phone with BIOPRO Chip	46	45	48	46	49	52	55

Test Findings:

1. Baseline (No Phone):

When tested without a cell phone (baseline state), 0 of 7 (0%) of this individual's key body areas measured within the ideal performance zone.

2. Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, 7 of 7 key body areas (100%) were in a weakened or stressed state.

3. Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, all 7 of them (100%) of them now measuring within the ideal performance zone.

Initials of Test Subject: P.K.

Date Tested: October 8, 2005

Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

P.K.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	22	26	35	40	41	38	39
Phone no Chip	20	15	23	15	23	18	34
Phone with BIOPRO Chip	43	35	46	50	49	45	50

Test Findings:

1. Baseline (No Phone):

When tested without a cell phone (baseline state), 0 of 7 (0%) of this individual's key body areas measured within the ideal performance zone.

2. Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, all 7 key body areas (100%) were in a stressed state.

3. Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, with 5 of 7 (71%) of them now measuring within the ideal performance zone. The 6th and 7th key area also showed a less weakened state when compared to both the original baseline value and the "phone call without chip" measurement.

Initials of Test Subject: B.H.

Date Tested: October 8, 2005

Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

в.н.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	36	19	27	23	37	40	47
Phone no Chip	42	34	18	21	36	37	42
Phone with BIOPRO Chip	52	46	41	46	49	45	54

Test Findings:

1. Baseline (No Phone):

When tested without a cell phone (baseline state), 1 of 7 (14%) of this individual's key body areas measured within the ideal performance zone.

2. Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, all 7 key body areas (100%) were in a weakened or stressed state.

3. Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, with 6 of 7 (71%) of them now measuring within the ideal performance zone. The 7th key area also showed a less weakened state when compared to both the original baseline value and the "phone call without chip" measurement.

Initials of Test Subject: D.H.

Date Tested: October 8, 2005

Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

D.H.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	22	25	19	40	13	52	15
Phone no Chip	22	25	18	20	18	56	14
Phone with BIOPRO Chip	46	46	49	45	45	50	43

Test Findings:

1. Baseline (No Phone):

When tested without a cell phone (baseline state), 1 of 7 (14%) of this individual's key body areas measured within the ideal performance zone.

2. Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, 7 of 7 key body areas (100%) were in a weakened or stressed state.

3. Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, with 6 of 7 (86%) of them now measuring within the ideal performance zone. The 7th key area also showed a less weakened state when compared to both the original baseline value and the "phone call without chip" measurement.

Initials of Test Subject: M.S.

Date Tested: October 8, 2005

Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

M.S.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	25	25	10	35	18	16	28
Phone no Chip	21	18	9	14	9	19	12
Phone with BIOPRO Chip	45	49	39	49	45	44	48

Test Findings:

1. Baseline (No Phone):

When tested without a cell phone (baseline state), 0 of 7 (0%) of this individual's key body areas measured within the ideal performance zone.

2. Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, 7 of 7 key body areas (100%) were in a weakened or stressed state.

3. Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, with 5 of 7 (71%) of them now measuring within the ideal performance zone. The 6th and 7th key area also showed a less weakened state when compared to both the original baseline value and the "phone call without chip" measurement.

Initials of Test Subject: J.V.

Date Tested: October 8, 2005

Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

J.V.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	25	14	19	20	16	34	19
Phone no Chip	24	15	14	22	18	25	16
Phone with BIOPRO Chip	39	37	25	37	45	46	43

Test Findings:

1. Baseline (No Phone):

When tested without a cell phone (baseline state), 0 of 7 (0%) of this individual's key body areas measured within the ideal performance zone.

2. Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, 7 of 7 key body areas (100%) were in a weakened state.

3. Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, with 2 of 7 (29%) of them now measuring within the ideal performance zone. The 3rd, 4th, 5th, 6th and 7th key area also showed a less weakened state when compared to both the original baseline value and the "phone call without chip" measurement.

Initials of Test Subject: C.K.

Date Tested: October 8, 2005
Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

C.K.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	34	8	15	21	23	25	45
Phone no Chip	27	9	13	26	18	28	50
Phone with BIOPRO Chip	41	25	40	41	43	51	62

Test Findings:

1. Baseline (No Phone):

When tested without a cell phone (baseline state), 1 of 7 (14%) of this individual's key body areas measured within the ideal performance zone.

2. Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, 6 of 7 key body areas (86%) were in a weakened state.

3. Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, with 1 of 7 (14%) of them now measuring within the ideal performance zone. The 2nd, 3rd, 4th, 5th, 6th, and 7th key area also showed a less weakened or less stressed state when compared to original baseline value and the "phone call without chip" measurement.

Initials of Test Subject: E.L.

Date Tested: October 8, 2005

Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

E.L.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	33	27	33	27	43	41	36
Phone no Chip	37	35	34	33	35	34	36
Phone with BIOPRO Chip	39	53	49	46	46	51	45

Test Findings:

1. Baseline (No Phone):

When tested without a cell phone (baseline state), 0 of 7 (0%) of this individual's key body areas measured within the ideal performance zone.

2. Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, 7 of 7 key body areas (100%) were in a stressed state.

3. Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, with 6 of 7 (86%) of them now measuring within the ideal performance zone. The 7th key area also showed a less weakened state when compared to original baseline value and the "phone call without chip" measurement.

Initials of Test Subject: T.L.

Date Tested: October 8, 2005

Test Location: Auckland, New Zealand

Test Equipment used: FDA-registered MSAS Professional

Credentials of Test Administrator: Doctor of Oriental Medicine, 25 years experience with

performing MSAS Testing

Test Results:

T.L.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	20	14	17	26	18	22	17
Phone no Chip	15	14	12	21	14	20	14
Phone with BIOPRO Chip	46	36	40	45	49	50	48

Test Findings:

1. Baseline (No Phone):

When tested without a cell phone (baseline state), 0 of 7 (0%) of this individual's key body areas measured within the ideal performance zone.

2. Phone Call without BIOPRO Cell Chip:

When using a cell phone without BIOPRO's EMF Harmonization Chip attached to it, 7 of 7 key body areas (100%) were in a weakened or stressed state.

3. Phone Call with BIOPRO Cell Chip:

After applying the BIOPRO's EMF Harmonization Chip on the phone, all 7 key body areas (100%) showed significant improvement, with 5 of 7 (71%) of them now measuring within the ideal performance zone. The 6th and 7th key areas also showed a less weakened state when compared to original baseline value and the "phone call without chip" measurement.

4. CONCLUSIONS

When tested without a cell phone (baseline state), across all individuals tested, 4.50% of their key body areas measured within the ideal performance zone, 95.50% of the key body areas measured outside of the ideal range.

As a result of our second measurement apparently the influence of EMFs from cell phone resulted in a significant, measurable shift in the energy levels in most acupuncture points. When using a cell phone **without** BIOPRO's Cell Chip attached to it, across all individuals tested, **only 2.50%** of their key body areas measured **within the ideal performance zone.** The remaining **97.50%** of their key body areas were **in a weakened or stressed state**. This demonstrates a significant negative effect of shifting the organism out of the ideal performance range.

After applying **BIOPRO's Cell Chip** on the phone, across all individuals tested, **81.25%** of their key body areas measured **within the ideal performance zone**. The remaining **18.75%** of **key body areas** also showed a **less stressed state** when compared to both the original baseline value and the "phone call without chip" measurement. This demonstrates a significant positive effect of shifting the organism back to its ideal performance range.

After applying the BIOPRO's Cell Chip on the phone, all (100%) of all individuals tested had a larger percentage of key body areas within the ideal performance zone than they did when using a cell phone without BIOPRO's Cell Chip attached to it, as well as when compared to being tested without a cell phone (baseline state).

In summary, by comparing seven key areas of the body before and after using the BIOPRO Cell Chip, screening results showed that numeric stress values for all subjects were restored significantly closer to equilibrium. Each individual showed strengthened resistance to the effects of stress, and a dramatic increase in measurable energy.